

TRI-PARTY AGREEMENT

Change Notice Number TPA-CN- 0759	TPA CHANGE NOTICE FORM	Date: 11/08/16
Document Number, Title, and Revision: DOE/RL-2009-124, 200 West Pump and Treat Operations and Maintenance Plan, Rev. 5		Date Document Last Issued: April 2016
Approved Change Notices Against this Document: TPA-CN-0725		
Originator: Bill Barrett		Phone: 373-3985

Description of Change:

Appendix B, in Waste Management Plan for the 200 West Pump and Treat, DOE/RL-2009-124, 200 West Pump and Treat Operations and Maintenance Plan, Rev. 5, is revised to add the location identified in Figure B-3 for storage of investigation derived waste (IDW).

M.W. Cline and E. Laija agree that the proposed change
DOE **Lead Regulatory Agency**
modifies an approved workplan/document and will be processed in accordance with the Tri-Party Agreement Action Plan, Section 9.0, *Documentation and Records*, and not Chapter 12.0, *Changes to the Agreement*.

Page B-10, Paragraph 1, of Appendix B, Waste Management Plan for the 200 West Pump and Treat, in DOE/RL-2009-124, 200 West Pump and Treat Operations and Maintenance Plan, Rev. 5, is revised to add the location identified in Figure B-3 for storage of IDW. Previously, only the location shown in Figure B-4 was identified. Figure B-4, Page B-11, was revised to clarify the waste storage location and to be consistent with Figure B-1 in the 200-UP-1 Waste Management Plan.



Added text is shown in double underline on page B-10. Figure B-4 is replaced in its entirety.

Note: Include affected page number(s): B-10 & B-11

Justification and Impacts of Change:

The addition of another IDW waste storage area will add efficiency to management of waste that is generated pursuant to the 200-ZP-1 Record of Decision and the 200-UP-1 Interim Record of Decision. Figure B-4 has been changed to match Figure 1 in the 200-UP-1 Waste Management Plan.

Approvals:

 DOE Project Manager	<u>11/17/2016</u> Date	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved
 EPA Project Manager	<u>11/17/16</u> Date	<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Disapproved
N/A Ecology Project Manager	 Date	<input type="checkbox"/> Approved <input type="checkbox"/> Disapproved




Figure B-3. 200 West P&T Waste Storage Location

The IDW waste (e.g., drill cuttings) may be accumulated near the point of generation while awaiting analytical laboratory test results. IDW also may be accumulated at the 200-ZP-1 *Comprehensive Environmental Response, Compensation, and Liability Act of 1980* (CERCLA) waste storage area (Figure B-4) or at the 200-ZP-1 waste storage location at the 200 West P&T waste storage location (Figure B-3). Waste from 200-UP-1 and 200-PW-1 OUs may also be stored at these locations; however, the waste is kept segregated by operable unit and will not be co-mingled. If IDW must be stored for longer than 6 months after designation, concurrence from the lead regulatory agency will be obtained on storage, treatment, and disposal options of the waste, along with the disposition schedule.

